Printing date 01/27/2011 Reviewed on 01/27/2011 1 Identification of the substance/mixture and of the company/undertaking · Product identifier · Trade name: Antox 71 E plus · Relevant identified uses of the substance or mixture and uses advised against · Application of the substance / the preparation Metal surface treatment · Details of the supplier of the safety data sheet · Manufacturer/Supplier: Chemetall GmbH Zweigniederlassung Schweiz Silostrasse 7 CH-5606 Dintikon Tel. ++41(0)56 616 90 30 Fax ++41(0)56 616 90 40 · Information department: Chemetall AG Produktsicherheit Email : franz.braun@chemetall.com · Emergency telephone number: Schweiz / Suisse / Switzerland Schweiz. Toxikologisches Informationszentrum Zürich (STIZ) Tel. ++41(0) 44 251 51 51

Tel. 145 (24 h) www.toxi.ch


2 Hazards identification

· Classification of the substance or mixture
GHS06 Skull and crossbones
H310 Fatal in contact with skin.
H331 Toxic if inhaled.
GHS05 Corrosion H314 Causes severe skin burns and eye damage.
· Classification according to Directive 67/548/EEC or Directive 1999/45/EC
Toxic
Toxic by inhalation, in contact with skin and if swallowed.
Corrosive
Causes severe burns.
Irritant
Irritating to respiratory system.
· Information concerning particular hazards for human and environment:
The product has to be labelled due to the calculation procedure of international guidelines. • Classification system:
The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.
(Contd. on page 2)

Reviewed on 01/27/2011

(Contd. on page 3)

Trade name: Antox 71 E plus



Trade name: Antox 71 E plus

(Contd. of page 2)

•	Dang	erous	com	pon	ents:
---	------	-------	-----	-----	-------

7697-37-2 nitric acid	🚸 H272; 🔶 H314	10-25%
7664-39-3 hydrofluoric acid	🚸 H300; H310; H330; 🚸 H314	2.5-10%

• Additional information: For the wording of the listed risk phrases refer to section 16.

4 First aid measures

· Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed. In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

Immediately rinse with water.

Call a doctor immediately.

Rub in Ca-gluconate solution or Ca-gluconate gel immediately.

· After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor. Call a doctor immediately.

• After swallowing: Do not induce vomiting; immediately call for medical help.

Do not induce voniting, ininediately call for medical help.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · Advice for firefighters
- · Protective equipment:
- Mouth respiratory protective device.

Do not inhale explosion gases or combustion gases.

6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures Not required.

Wear protective equipment. Keep unprotected persons away.

• Environmental precautions: Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 4)

CA -

Material Safety Data Sheet acc. to ISO/DIS 11014

Printing date 01/27/2011

Reviewed on 01/27/2011

Trade name: Antox 71 E plus

(Contd. of page 3)

Use neutralizing agent. Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

- Precautions for safe handling
 Ensure good ventilation/exhaustion at the workplace.
 Open and handle receptacle with care.
 Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Provide acid-resistant floor.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

7697-37-2 nitric acid

- EL Short-term value: 4 ppm Long-term value: 2 ppm
- EV Short-term value: 10 mg/m³, 4 ppm
 - Long-term value: 5 mg/m³, 2 ppm

7664-39-3 hydrofluoric acid

- EL Short-term value: C 2 ppm
- EV 0.5 ppm as F

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Do not inhale gases / fumes / aerosols. Avoid contact with the eyes and skin.
 Breathing equipment:

Use suitable respiratory protective device in case of insufficient ventilation.

Use suitable respiratory protective device only when aerosol or mist is formed.

(Contd. on page 5)

[·] Handling:

CA

(Contd. of page 4)

Material Safety Data Sheet acc. to ISO/DIS 11014

Printing date 01/27/2011

Reviewed on 01/27/2011

Trade name: Antox 71 E plus

· Protection of hands:

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation



Protective gloves

Neoprene gloves Acid resistant gloves

Only use chemical-protective gloves with CE-labelling of category III.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Physical and chemical proper	ties
· Information on basic physical and c	hemical properties
· General Information	
· Appearance:	
Form:	Pasty
Color:	Colorless
· Odor:	Pungent
· Odour threshold:	Not determined.
· pH-value at 20°C:	< 2
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
· Flash point:	Not applicable.
· Ignition temperature:	
Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure at 20°C:	23 hPa
· Density at 20°C:	1.25 g/cm³
· Relative density	Not determined.
· Vapour density	Not determined.

(Contd. on page 6)

CA

Reviewed on 01/27/2011

Trade name: Antox 71 E plus

	(Contd. of pa	age 5
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Segregation coefficient (n-octone	ol/water): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	0.0 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · Possibility of hazardous reactions Reacts with metals to form nitrous fumes and hydrogen.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: Corrosive gases/vapors

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- · LD/LC50 values that are relevant for classification:
- 7697-37-2 nitric acid
- Inhalative LC50/4 h 67 mg/l (rat)
- 7664-39-3 hydrofluoric acid

Oral LD50 1276 mg/kg (rat)

- · Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- · on the eye: Strong caustic effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Toxic

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

12 Ecological information

- · Toxicity
- · Acquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.

(Contd. on page 7)

Material Safety Data Sheet acc. to ISO/DIS 11014

Printing date 01/27/2011

Reviewed on 01/27/2011

Trade name: Antox 71 E plus

(Contd. of page 6)

- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 2 (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized. Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Packaging can be reused or recycled after cleaning.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

· DOT regulations:	
· Hazard class:	8
 Identification number: 	UN2922
 Packing group: 	11
· Proper shipping name (technical na	me): LIQUIDE CORROSIF TOXIQUE, N.S.A. (ACI FLUORHYDRIQUE, ACIDE NITRIQUE)
· Label	8+6.1
• TDG (Transport dangerous goods):	
· TDG class:	8 Corrosive substances
	86
· Danger code (Kemler):	2922
 Danger code (Kemler): UN-Number: 	2922
	2922

Reviewed on 01/27/2011

Trade name: Antox 71 E plus

• Maritime transport IMDG:	(Contd. of page
 IMDG Class: UN Number: Label Packaging group: EMS Number: Marine pollutant: Segregation groups Propper shipping name: 	8 2922 8+6.1 II F-A,S-B No Acids CORROSIVE LIQUID, TOXIC, N.O. (HYDROFLUORIC ACID, NITRIC ACID)
Air transport ICAO-TI and IATA-DGR:	
· ICAO/IATA Class: · UN/ID Number: · Label	8 2922 8+6.1 II

Transport/Additional information: Not dangerous according to the above specifications.
 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Section 313 (Specific toxic chemical listings):
- 7697-37-2 nitric acid
- 7664-39-3 hydrofluoric acid
- · TSCA (Toxic Substances Control Act):
- All ingredients are listed.
- · Proposition 65
- · Chemicals known to cause cancer:
- None of the ingredients is listed.
- · Chemicals known to cause reproductive toxicity for females:
- None of the ingredients is listed.
- · Chemicals known to cause reproductive toxicity for males:
- None of the ingredients is listed.
- · Chemicals known to cause developmental toxicity:
 - None of the ingredients is listed.

(Contd. on page 9)

CA

Material Safety Data Sheet acc. to ISO/DIS 11014

Printing date 01/27/2011

Reviewed on 01/27/2011

Trade name: Antox 71 E plus

(Contd. of page 8)

· Cancerogenity categories

- · EPA (Environmental Protection Agency)
- None of the ingredients is listed.
- · IARC (International Agency for Research on Cancer)
- None of the ingredients is listed.
- · NTP (National Toxicology Program)

None of the ingredients is listed.

- · TLV (Threshold Limit Value established by ACGIH)
- None of the ingredients is listed.
- · NIOSH-Ca (National Institute for Occupational Safety and Health)
- None of the ingredients is listed.
- · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

- · Product related hazard informations:
- · Hazard symbols:
- T Toxic C Corrosive
- Hazard-determining components of labelling: hydrofluoric acid nitric acid
- Risk phrases: Toxic by inhalation, in contact with skin and if swallowed. Causes severe burns. Irritating to respiratory system.

· Safety phrases:

Keep away from living quarters. Keep container tightly closed and in a well-ventilated place. When using do not eat or drink. Do not breathe fumes/aerosol.

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Wear suitable protective clothing, gloves and eye/face protection.

In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

This material and its container must be disposed of as hazardous waste.

- · National regulations:
- · Water hazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation IATA: International Air Transport Association
- IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
- ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

- ACGIH: American Conference of Governmental Industrial Hygienists
- NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

(Contd. on page 10)

(Contd. of page 9)

CA

Material Safety Data Sheet acc. to ISO/DIS 11014

Printing date 01/27/2011

Reviewed on 01/27/2011

Trade name: Antox 71 E plus

WHMIS: Workplace Hazardous Materials Information System (Canada) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent
* Data compared to the previous version altered.